

Printing date 06/10/2019 Reviewed on 02/03/2016

#### 1 Identification

- · Product identifier
- · Trade name: Xpedition Lysis/Stabilization Solution
- · Article number: D6202-1-40
- · Application of the substance / the mixture Laboratory Reagent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Zymo Research Corp.

17062 Murphy Ave.

Irvine, CA 92614

**USA** 

Phone: 1-949-679-1190 or 1-888-882-9682

sds@zymoresearch.com

- · Information department: Product safety department
- · Emergency telephone number:

During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190

#### 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05
- · Signal word Danger
- · Hazard-determining components of labeling:

guanidinium thiocyanate

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe mist/vapours/spray.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

(Contd. on page 2)





Printing date 06/10/2019 Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*3Fire = 0 Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 60-00-4	edetic acid	20%	
CAS: 593-84-0	guanidinium thiocyanate	20%	

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

Rinse mouth

DO NOT induce vomiting.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

US





Printing date 06/10/2019 Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 2)

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon, nitrogen and sulfur.

- · Advice for firefighters
- Protective equipment: Wear self-contained breathing apparatus for fighting fires involving this material

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear self-contained breathing apparatus for responding to non-incidental release of this material in which there is the potential for inhalation of vapors, mists or sprays

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 60-00-4	edetic acid	4.1 mg/m <sup>3</sup>
CAS: 593-84-0	guanidinium thiocyanate	0.98 mg/m <sup>3</sup>
CAS: 77-86-1	trometamol	18 mg/m <sup>3</sup>
· PAC-2:		
CAS: 60-00-4	edetic acid	45 mg/m <sup>3</sup>
CAS: 593-84-0	guanidinium thiocyanate	11 mg/m³
CAS: 77-86-1	trometamol	190 mg/m <sup>3</sup>
· PAC-3:		
CAS: 60-00-4	edetic acid	200 mg/m <sup>3</sup>
CAS: 593-84-0	guanidinium thiocyanate	65 mg/m³
		Contd. on page 4)





Printing date 06/10/2019 Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

CAS: 77-86-1 trometamol (Contd. of page 3)

1,200 mg/m³

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

Store in cool, dry place. Store in well-ventilated location.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids or strong oxidizers
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) Laboratory reagent

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Work under a chemical fume hood when using this product. Ensure eyewash station and safety showers are readily accessible.

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- $\cdot$  *Additional information:* The lists that were valid during the creation were used as basis.
- · Exposure controls

The appropriate protective equipment under anticipated circumstances of use include lab-coat, safety glasses with side-shields and gloves.

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:





Printing date 06/10/2019 Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical	and	10	homical	nro	norties
I II II YSICUI	unu	· U	uemicui	PIU	pernes

· Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
$ar{L}ower:$	Not Applicable
Upper:	Not Applicable
· Vapor pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.

(Contd. on page 6)





Printing date 06/10/2019 Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

	(Contd. of	page
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0  g/l / 0.00  lb/gal	
Solids content:	42.6 %	
Other information	No further relevant information available.	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- · Thermal decomposition / conditions to be avoided:

Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon nitrogen and sulfur.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid exposing product to extreme temperatures or incompatible chemicals
- · Incompatible materials: Acids and strong oxidizers
- · Hazardous decomposition products:

Product will not undergo self-decomposition, so no such products will be generated.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 593-84-0 guanidinium thiocyanate

Oral LD50 593 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

(Contd. on page 7)



The Beauty of Science is to Make Things Simple

Page 7/11

### Safety Data Sheet acc. to OSHA HCS

Printing date 06/10/2019 Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 6)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

CAS: 593-84-0 guanidinium thiocyanate

EC50 42.4 mg/kg (daphnia)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

(Contd. on page 8)





Printing date 06/10/2019 Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 7)

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1760
UN proper shipping name	011700
DOT	Corrosive liquids, n.o.s. (guanidinium thiocyanate)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)
Transport hazard class(es)	, , ,
DOT	
412	
CORROSIVE	
8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
4.	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
~ *	On cargo aircraft only: 60 L



The Beauty of Science is to Make Things Simple

Page 9/11

### Safety Data Sheet acc. to OSHA HCS

Printing date 06/10/2019 Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 8)

	(contain of page o)
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (GUANIDINIUM THIOCYANATE), 8, III

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05

(Contd. on page 10)

Page 10/11

### Safety Data Sheet acc. to OSHA HCS

Reviewed on 02/03/2016 Printing date 06/10/2019

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 9)

- · Signal word Danger
- · Hazard-determining components of labeling: guanidinium thiocyanate
- · Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe mist/vapours/spray.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp.

Safety Department

17062 Murphy Ave.

Irvine, CA 92614

**USA** 

Phone: 1-949-679-1190 or 1-888-882-9682

- · Contact: sds@zymoresearch.com
- · Date of preparation / last revision 06/10/2019 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Contd. on page 11)



Page 11/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/10/2019 Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 10)

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1

US