

06/06/2017	06/2017 Kit Components	
Product code	Description	
D3024 & D3025	Quick-DNA Miniprep Kit, 50 preps & 200 preps	
Components:		
D3004-1-50	Genomic Lysis Buffer	
D3004-5-15	DNA Pre-Wash Buffer	
D3004-2-50	g-DNA Wash Buffer	
D3004-4-1	DNA Elution Buffer	



Printing date 06/06/2017

Reviewed on 02/02/2016

Page 1/11

0	017 Keviewea on 02/02/20.
1 Identification	
· Product identifie	· ·
-	nomic Lysis Buffer
• Article number:	D3004-1-50, D3004-1-100, D3004-1-150, D3004-1-200, D3004-1-250, D3004-1-1000 the substance / the mixture Laboratory Reagent
• <i>Manufacturer/Su</i> Zymo Research C 17062 Murphy A Irvine, CA 92614 USA	Corp. .ve. 4 9-1190 or 1-888-882-9682
	artment: Product safety department
• <i>Emergency telep</i> During normal bu	<i>hone number:</i> usiness hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190
2 Hazard(s) ider	ntification
· Classification of	the substance or mixture
P	5 Corrosion
Skin Corr. 1C	H314 Causes severe skin burns and eye damage.
Eye Dam. 1	H318 Causes serious eye damage.
Acute Tox. 4	H302 Harmful if swallowed.
Aquatic Chronic	3 H412 Harmful to aquatic life with long lasting effects.
	ents The product is classified and labeled according to the Globally Harmonized System (GHS). ms GHS05, GHS07 ger
guanidinium thiod • Hazard statemen Harmful if swallo Causes severe ski Harmful to aquati • Precautionary sta Do not breathe m	<i>its</i> owed. in burns and eye damage. ic life with long lasting effects. <i>atements</i> uist/vapours/spray. gloves/protective clothing/eye protection/face protection. the environment.
	(Contd. on page



Printing date 06/06/2017

Reviewed on 02/02/2016

Page 2/11

Trade name: Genomic Lysis Buffer

(Contd. of page 1) Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Wash contaminated clothing before reuse. If swallowed: Rinse mouth. Do NOT induce vomiting. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 FIRE 0 Fire = 0**REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · *PBT*: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous con	ponents:	
CAS: 593-84-0	guanidinium thiocyanate	≤50%
CAS: 56-81-5	glycerol	≤50%

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

US



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: Genomic Lysis Buffer

· After inhalation:

Supply fresh air. If required, provide artificial respiration if trained to do so. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Rinse mouth

DO NOT induce vomiting.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. *Special hazards arising from the substance or mixture*
- Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon, nitrogen and sulfur.
- · Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus for fighting fires involving this material

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear self-contained breathing apparatus for responding to non-incidental release of this material i	n which there is
the potential for inhalation of vapors, mists or sprays	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
	(Contd. on page 4)

Jage +)

(Contd. of page 2)



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: Genomic Lysis Buffer

(Contd.	of page 3)	

· Protective Actio	n Criteria for Chemicals	
• PAC-1:		
CAS: 593-84-0	guanidinium thiocyanate	0.98 mg/m3
CAS: 56-81-5	glycerol	45 mg/m3
· PAC-2:		
CAS: 593-84-0	guanidinium thiocyanate	11 mg/m3
CAS: 56-81-5	glycerol	180 mg/m3
· PAC-3:		
CAS: 593-84-0	guanidinium thiocyanate	65 mg/m3
CAS: 56-81-5	glycerol	1,100 mg/m3

7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Store in cool, dry place. Store in well-ventilated location.

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids or strong oxidizers
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Work under a chemical fume hood when using this product. Ensure eyewash station and safety showers are readily accessible.

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 56-81-5 glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Page 4/11



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: Genomic Lysis Buffer

(Contd. of page 4)

• *Exposure controls* The appropriate protective equipment under anticipated circumstances of use include lab-coat, safety glasses with side-shields and gloves.

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.


Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



9 Physical and chemical properties

- \cdot Information on basic physical and chemical properties
- General Information
- · Appearance: Form:
- Color:
- · Odor:
- · Odor threshold:
- · pH-value:

Liquid Clear Mild Not determined. Not determined.

(Contd. on page 6)

US



Printing date 06/06/2017

Reviewed on 02/02/2016

Page 6/11

Trade name: Genomic Lysis Buffer

		(Contd. of page 5)
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	400 °C (752 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	0.9 Vol % 0.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	0.1 hPa	
· Density: · Relative density · Vapor density · Evaporation rate	Not determined. Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
• Solvent content: Organic solvents: VOC content:	50.0 % 0.0 g/1 / 0.00 lb/gl	
Solids content: • Other information	50.0 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- Thermal decomposition / conditions to be avoided:
- Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon nitrogen and sulfur.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid exposing product to extreme temperatures or incompatible chemicals
- · Incompatible materials: Acids and strong oxidizers

(Contd. on page 7)

US



Printing date 06/06/2017

Reviewed on 02/02/2016

Page 7/11

(Contd. of page 6)

Trade name: Genomic Lysis Buffer

· Hazardous decomposition products:

Product will not undergo self-decomposition, so no such products will be generated.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 593-84-0 guanidinium thiocyanate

Oral LD50 593 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 593-84-0 guanidinium thiocyanate

EC50 42.4 mg/kg (daphnia)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: Genomic Lysis Buffer

Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

- · *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

• *Recommended cleansing agent:* Water, if necessary with cleansing agents.

N1760 orrosive liquids, n.o.s. (guanidinium thiocyanate) ORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)
ORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)
Corrosive substances
Corrosive substances

(Contd. of page 7)



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: Genomic Lysis Buffer

	(Contd. of page
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Stowage Category	А
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities ($\widetilde{E}Q$)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUIDS, N.O.S. (GUANIDINIUM THIOCYANATE), 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

(Contd. on page 10)

Page 9/11

US



Page 10/11

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: Genomic Lysis Buffer

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard-determining components of labeling: guanidinium thiocyanate · Hazard statements Harmful if swallowed. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects. · Precautionary statements Do not breathe mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave.

(Contd. on page 11)

US



Printing date 06/06/2017

Reviewed on 02/02/2016

Page 11/11

Trade name: Genomic Lysis Buffer (Contd. of page 10) Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 06/06/2017 / -• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3



Printing date 06/06/2017

Reviewed on 02/02/2016

Page 1/11

riniing dale 00/00/2017	
1 Identification	
· Product identifier	
· Trade name: DNA Pre-Wash Buffer	
 Article number: D3004-5-15, D3004-5-30, D3004-5-50, D3004-5-250 Application of the substance / the mixture Laboratory Reagent 	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com 	
· Information department: Product safety department	
• <i>Emergency telephone number:</i> During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (94	49) 679 1190
2 Hazard(s) identification · Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed.	
Skin Irrit. 2 H315 Causes skin irritation.	
Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	Globally Harmonized System (GHS).
 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled according to the G <i>Hazard pictograms</i> GHS02, GHS07 <i>Signal word</i> Danger <i>Hazard-determining components of labeling:</i> 	Globally Harmonized System (GHS).
 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled according to the G <i>Hazard pictograms</i> GHS02, GHS07 <i>Signal word</i> Danger <i>Hazard-determining components of labeling:</i> guanidinium chloride 	Globally Harmonized System (GHS).
 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled according to the G <i>Hazard pictograms</i> GHS02, GHS07 <i>Signal word</i> Danger <i>Hazard-determining components of labeling:</i> guanidinium chloride propan-2-ol <i>Hazard statements</i> 	Globally Harmonized System (GHS).
 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled according to the G <i>Hazard pictograms</i> GHS02, GHS07 <i>Signal word</i> Danger <i>Hazard-determining components of labeling:</i> guanidinium chloride propan-2-ol <i>Hazard statements</i> Highly flammable liquid and vapor. 	Globally Harmonized System (GHS).
 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled according to the C <i>Hazard pictograms</i> GHS02, GHS07 <i>Signal word</i> Danger <i>Hazard-determining components of labeling:</i> guanidinium chloride propan-2-ol <i>Hazard statements</i> Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. 	Globally Harmonized System (GHS).
 Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled according to the C <i>Hazard pictograms</i> GHS02, GHS07 <i>Signal word</i> Danger <i>Hazard-determining components of labeling:</i> guanidinium chloride propan-2-ol <i>Hazard statements</i> Highly flammable liquid and vapor. Harmful if swallowed. 	Globally Harmonized System (GHS).



Printing date 06/06/2017

Reviewed on 02/02/2016

	(Contd. of pag
· Precautionary statements	(contai or pag
Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wear protective gloves / eye protection / face protection.	
Wear protective gloves / eye protection / face protection.	
Ground/bond container and receiving equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wa	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pr	resent and easy to do.
Continue rinsing.	
Specific treatment (see on this label).	
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing. If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Rinse mouth.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Take off contaminated clothing and wash it before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international r	egulations.
· Classification system:	0
· NFPA ratings (scale 0 - 4)	
$\frac{3}{1000}$ Health = 1	
Fire = 3 $P_{\rm restrict} = 0$	
Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 1 Health = 1	
Fire 3 Fire $= 3$	
$\frac{1}{\text{REACTIVITY}[0]} \text{Reactivity} = 0$	
REACTIVITY 0 Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· <i>PBT</i> : Not applicable.	
• <i>vPvB</i> : Not applicable.	

Page 2/11



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

(Contd. of page 2)

≤50%

≤50%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• *Description:* Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-63-0 propan-2-ol

CAS: 50-01-1 guanidinium chloride

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

- Dilute with plenty of water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 4)



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about protection against explosions and fires:* Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions:* Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 67-63-0 propan-2-olPELLong-term value: 980 mg/m³, 400 ppmRELShort-term value: 1225 mg/m³, 500 ppm

- Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

· Ingredients with biological limit values:

CAS: 67-63-0 propan-2-ol

(Contd. on page 5)

US -

Page 4/11

(Contd. of page 3)



Printing date 06/06/2017

Reviewed on 02/02/2016

Page 5/11

Trade name: DNA Pre-Wash Buffer

(Contd. of page 4) BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) · Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information

· Appearance: Form:

Color:

Liquid Clear

(Contd. on page 6)

US



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

	(Contd. of page	
· Odor:	Alcohol-like	
· Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	>80 °C (>176 °F)	
Flash point:	13 °C (55 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
Explosion limits:		
Lower:	2.0 Vol %	
Upper:	12.0 Vol %	
• Vapor pressure at 20 • C (68 • F):	43 hPa (32 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	49.0 %	
VOC content:	49.0 %	
	490.0 g/l / 4.09 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

Page 6/11

US



Printing date 06/06/2017

Trade name: DNA Pre-Wash Buffer

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 50-01-1 guanidinium chloride

Oral LD50 475 mg/kg (rat)

· Primary irritant effect:

- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 propan-2-ol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

US

Page 7/11

Reviewed on 02/02/2016

(Contd. of page 6)

3



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

· Uncleaned packagings:

· Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1219
UN proper shipping name	
DOT	Isopropanol mixture
IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL) mixture
Transport hazard class(es)	
DOT	
FLAMMABLE LIQUID	
V	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
V	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	F-E,S-D
Stowage Category	В

Page 8/11



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

	(Contd. of p	bage
· Transport in bulk according to Annex	•	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
·DOT		
· Quantity limitations	On passenger aircraft/rail: 5 L	
	On cargo aircraft only: 60 L	
· IMDG		
\cdot Limited quantities (LQ)	1L	
\cdot Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
· UN "Model Regulation":	UN 1219 ISOPROPANOL MIXTURE, 3, II	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 propan-2-ol

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 67-63-0 propan-2-ol

(Contd. on page 10)

____ US

A4

Page 9/11



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

NIOSU Ca (National Institute for Occupational Safety and Health)	(Contd. of page
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmo	onized System (GHS).
Hazard pictograms GHS02, GHS07	
Signal word Danger	
Hazard-determining components of labeling:	
guanidinium chloride	
propan-2-ol	
Hazard statements	
Highly flammable liquid and vapor.	
Harmful if swallowed.	
Causes skin irritation.	
Causes serious eye irritation.	
May cause drowsiness or dizziness.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wear protective gloves / eye protection / face protection.	
Wear protective gloves / eye protection / face protection.	
Ground/bond container and receiving equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese	nt and easy to do.
Continue rinsing.	
Specific treatment (see on this label).	
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Rinse mouth.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Take off contaminated clothing and wash it before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regu	lations.
<i>Chemical safety assessment:</i> A Chemical Safety Assessment has not been carried out.	

(Contd. on page 11)

Page 10/11



Printing date 06/06/2017

Reviewed on 02/02/2016

Trade name: DNA Pre-Wash Buffer

(Contd. of page 10)

Page 11/11

r information
formation is based on our present knowledge. However, this shall not constitute a guarantee for any specific et features and shall not establish a legally valid contractual relationship.
tment issuing SDS:
Research Corp.
Department
Murphy Ave.
CA 92614
: 1-949-679-1190 or 1-888-882-9682
ct: sds@zymoresearch.com
f preparation / last revision 06/06/2017 / -
viations and acronyms:
ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage
erous Goods by Road) International Maritime Code for Dangerous Goods
S Department of Transportation
nternational Air Transport Association
American Conference of Governmental Industrial Hygienists
European Inventory of Existing Commercial Chemical Substances
: European List of Notified Chemical Substances
hemical Abstracts Service (division of the American Chemical Society)
National Fire Protection Association (USA)
Hazardous Materials Identification System (USA) olatile Organic Compounds (USA, EU)
ethal concentration, 50 percent
ethal dose, 50 percent
rsistent, Bioaccumulative and Toxic
ery Persistent and very Bioaccumulative
National Institute for Occupational Safety
Occupational Safety & Health
nreshold Limit Value rmissible Exposure Limit
ecommended Exposure Limit
ological Exposure Limit
iq. 2: Flammable liquids – Category 2
ox. 4: Acute toxicity – Category 4
t. 2: Skin corrosion/irritation – Category 2
. 2A: Serious eye damage/eye irritation – Category 2A
E 3: Specific target organ toxicity (single exposure) – Category 3



Printing date 06/06/2017

Reviewed on 12/08/2016

Page 1/11

5	
1 Identification	
· Product identifier	
· Trade name: g-DNA Wash Buffer	
 Article number: D3004-2-50, D3004-2-100, D3004-2-200, D3004-2-250, D3004-250, D3004-2-250, D3004-250, D300	2-400
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com 	
 <i>Information department:</i> Product safety department <i>Emergency telephone number:</i> During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 	1190
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 3 H226 Flammable liquid and vapor.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H336 May cause drowsiness or dizziness.	
 Label elements GHS label elements The product is classified and labeled according to the Globally Hazard pictograms GHS02, GHS07 Signal word Warning 	y Harmonized System (GHS).
 Hazard-determining components of labeling: propan-2-ol ethanol Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Avoid breathing dust/fume/gas/mist/vapors/spray 	
Avoia oreaning austranic/gas/mise vapois/spray	(Contd. on page 2)
	US -



Printing date 06/06/2017

Trade name: g-DNA Wash Buffer

Reviewed on 12/08/2016

		(Contd. of page 1)
	e gloves / eye protection / face protection.	
	ontainer and receiving equipment.	
Use only non-s		
	nary measures against static discharge.	
	ly after handling.	
	ors or in a well-ventilated area.	
	air): Take off immediately all contaminated clothing. Rinse skin with water/shower	
	e cautiously with water for several minutes. Remove contact lenses, if present and e	easy to do.
Continue rinsir		
	Remove person to fresh air and keep comfortable for breathing.	
	CENTER/doctor if you feel unwell.	
	persists: Get medical advice/attention.	
	Use for extinction: CO2, powder or water spray.	
	ventilated place. Keep container tightly closed. ventilated place. Keep cool.	
Store locked up		
	tents/container in accordance with local/regional/national/international regulations.	
· Classification		
· NFPA ratings		
• INFI A rungs	(<i>seare</i> 0 - 4)	
	Health = 1	
	Fire = 3	
	Reactivity $= 0$	
· HMIS-ratings	(seals 0 - A)	
÷	(scale 0 - 4)	
HEALTH 1	Health = 1	
FIRE 3	Fire = 3	
REACTIVITY 0	Reactivity $= 0$	
• Other hazards		
	and vPvB assessment	
• <i>PBT</i> : Not appl		
• vPvB: Not app	licable.	
3 Composition	n/information on ingredients	
5 Composition		
· Chemical char	acterization: Mixtures	
	lixture of the substances listed below with nonhazardous additions.	
· Dangerous con	nponents:	
CAS: 64-17-5		<25%
CAS: 67-63-0		<u>≤25%</u>
CAS. 07-03-0	propan-2-01	≥∠J%

(Contd. on page 3)

US

Page 2/11



Printing date 06/06/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* Inhalation of vapors, mists or sprays can cause drowsiness, dizziness, and other central nervous system effects. Accidental eye contact can cause serious irritation.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions:* Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)



Printing date 06/06/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

(Contd. of page 3)

Page 4/11

• *Information about protection against explosions and fires:* Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethanol PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm CAS: 67-63-0 propan-2-ol PEL Long-term value: 980 mg/m³, 400 ppm REL Short-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 984 mg/m³, 400 ppm Long-term value: 984 mg/m³, 200 ppm BEI Ingredients with biological limit values: CAS: 67-63-0 propan-2-ol BEI Ingredients with biological limit values: CAS: 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective and hygienic measures: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	00mp		
REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm CAS: 67-63-0 propan-2-ol PEL Long-term value: 980 mg/m³, 400 ppm Long-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI Imgredients with biological limit values: CAS: 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective end hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes.	CAS:	64-17-5 ethanol	
TLV Short-term value: 1880 mg/m³, 1000 ppm CAS: 67-63-0 propan-2-ol PEL Long-term value: 980 mg/m³, 400 ppm Long-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 984 mg/m³, 400 ppm Long-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI Ingredients with biological limit values: CAS: 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	PEL	Long-term value: 1900 mg/m ³ , 1000 ppm	
CAS: 67-63-0 propan-2-ol PEL Long-term value: 980 mg/m³, 400 ppm REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 984 mg/m³, 400 ppm Long-term value: 992 mg/m³, 200 ppm BEI Ingredients with biological limit values: CAS: 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	REL	Long-term value: 1900 mg/m ³ , 1000 ppm	
 PEL Long-tern value: 980 mg/m³, 400 ppm REL Short-tern value: 1225 mg/m³, 500 ppm Long-tern value: 980 mg/m³, 400 ppm TLV Short-tern value: 984 mg/m³, 400 ppm Long-tern value: 492 mg/m³, 200 ppm BEI Ingredients with biological limit values: CAS: 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. 	TLV	Short-term value: 1880 mg/m ³ , 1000 ppm	
 REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm Long-term value: 984 mg/m³, 400 ppm Long-term value: 984 mg/m³, 200 ppm BEI Ingredients with biological limit values: CAS: 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. 	CAS	67-63-0 propan-2-ol	
Long-term value: 980 mg/m³, 400 ppm TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI Ingredients with biological limit values: CAS: 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	PEL	Long-term value: 980 mg/m ³ , 400 ppm	
Long-term value: 492 mg/m³, 200 ppm BEI Ingredients with biological limit values: CAS: 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	REL		
CAS: 67-63-0 propan-2-ol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	TLV	Long-term value: 492 mg/m ³ , 200 ppm	
 BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. 	Ingre	dients with biological limit values:	
Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	CAS	67-63-0 propan-2-ol	
Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	BEI	40 mg/L	
Parameter: Acetone (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	•	Medium: urine	
Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.			
Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.		Parameter: Acetone (background, nonspecific)	
Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	Addit	<i>ional information:</i> The lists that were valid during the creation were used as basis.	
Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	Expo	sure controls	
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.			
Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.	Gene	ral protective and hygienic measures:	
Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.			
Avoid contact with the eyes. Avoid contact with the eyes and skin.			
Avoid contact with the eyes and skin.			
(Contd. on page)	Avoi	l contact with the eyes and skin.	(0 1
((Contd. on page



Printing date 06/06/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation


· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Alcohol-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	>30 °C (>86 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	

Page 5/11

(Contd. of page 4)



Printing date 06/06/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

	(Contd. of page 5	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	2.0 Vol %	
Upper:	15.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	59 hPa (44 mm Hg)	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	50.0 %	
VOC content:	50.0 %	
	500.0 g/l / 4.17 lb/gl	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- Thermal decomposition / conditions to be avoided:
- Products of thermal decomposition of this material would include carbon monoxide and carbon dioxide
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid exposing product to extreme temperatures or incompatible chemicals
- · Incompatible materials: Acids and strong oxidizers
- · Hazardous decomposition products:
- Product will not undergo self-decomposition, so no such products will be generated.

11 Toxicological information

· Information on toxicological effects

May be harmful by inhalation. Material is irritating to mucous membranes and upper respiratory tract.

(Contd. on page 7)

Page 6/11



Printing date 06/06/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

(Contd. of page 6)
· Acute toxicity:
· Primary irritant effect:
• on the skin: No irritant effect.
· on the eye:
Causes severe eye irritation
Irritating effect.
· Sensitization: No sensitizing effects known.
· Additional toxicological information:
Inhalation of vapors/mists, and sprays of this product can cause dizzness, drowsiness and other central nervous
system effects.
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
· Carcinogenic categories
· IARC (International Agency for Research on Cancer)
CAS: 64-17-5 ethanol 1
CAS: 67-63-0 propan-2-ol 3
· NTP (National Toxicology Program)
None of the ingredients is listed.
· OSHA-Ca (Occupational Safety & Health Administration)
()))))))))))))))))))))))))))))))))))))

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

(Contd. on page 8)

Page 7/11



Printing date 06/06/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

(Contd. of page 7)

· Uncleaned packagings:

· Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1993
· UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Isopropanol, Ethanol)
- IMDG	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL)
· Transport hazard class(es)	
DOT	
PLAMMABLE LIQUID	
3	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
Class	3 Flammable liquids
· Label	3
Packing group	
· DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	30
· EMS Number:	F-E, <u>S-E</u>
· Stowage Category	A
Transport in bulk according to Annex	<i>II of</i> Not applicable.



Printing date 06/06/2017

Reviewed on 12/08/2016

Trade name: g-DNA Wash Buffer

	(Contd. of page 8
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
• IMDG • Limited quantities (LQ) • Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
• UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ISOPROPANOL, ETHANOL), 3, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 propan-2-ol

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 64-17-5 ethanol

CAS: 67-63-0 propan-2-ol

(Contd. on page 10)

Page 9/11

A3

A4



Printing date 06/06/2017

Reviewed on 12/08/2016

Page 10/11

Trade name: g-DNA Wash Buffer

	SH-Ca (National Institute for Occupational Safety and Health) e of the ingredients is listed.
GHS Haz	S label elements The product is classified and labeled according to the Globally Harmonized System (GHS). ard pictograms GHS02, GHS07 al word Warning
prop	ard-determining components of labeling: pan-2-ol
etha	
	ard statements
	nmable liquid and vapor. ses serious eye irritation.
	z cause drowsiness or dizziness.
	cause drowsiness of dizziness.
	p away from heat/sparks/open flames/hot surfaces. No smoking.
	explosion-proof electrical/ventilating/lighting/equipment.
	id breathing dust/fume/gas/mist/vapors/spray
	r protective gloves / eye protection / face protection.
	und/bond container and receiving equipment.
	only non-sparking tools.
Take	e precautionary measures against static discharge.
Was	h thoroughly after handling.
	only outdoors or in a well-ventilated area.
	n skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	tinue rinsing.
	NHALED: Remove person to fresh air and keep comfortable for breathing.
	a POISON CENTER/doctor if you feel unwell.
	re irritation persists: Get medical advice/attention.
	ase of fire: Use for extinction: CO2, powder or water spray.
	e in a well-ventilated place. Keep container tightly closed. e in a well-ventilated place. Keep cool.
	e locked up.
	bose of contents/container in accordance with local/regional/national/international regulations.
	mical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682

(Contd. on page 11)

US



Printing date 06/06/2017

Trade name: g-DNA Wash Buffer

Reviewed on 12/08/2016


Page 11/11

(Contd. of page 10) · Contact: sds@zymoresearch.com · Date of preparation / last revision 06/06/2017 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 3: Flammable liquids - Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3



Printing date 06/06/2017

Reviewed on 12/03/2015



(Contd. on page 2)

Page 1/8



Printing date 06/06/2017

Trade name: DNA Elution Buffer

Reviewed on 12/03/2015

(Contd. of page 1)

Page 2/8

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Wear protective clothing.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

CAS: 1185-53-1	2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	12 mg/m3
CAS: 6381-92-6	Edetate Disodium, Dihydrate	30 mg/m3
	(Co	ntd. on page 3)



Printing date 06/06/2017

Reviewed on 12/03/2015

Trade name: DNA Elution Buffer

	(Contd. of page 2)
• PAC-2:	
CAS: 1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	130 mg/m3
CAS: 6381-92-6 Edetate Disodium, Dihydrate	330 mg/m3
· PAC-3:	
CAS: 1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride	790 mg/m3
CAS: 6381-92-6 Edetate Disodium, Dihydrate	2,000 mg/m3

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Page 3/8

US



Printing date 06/06/2017

Reviewed on 12/03/2015

(Contd. of page 3)

Trade name: DNA Elution Buffer

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection:* Goggles recommended during refilling.

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor: Odor threshold:	Odorless Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	



Printing date 06/06/2017

Reviewed on 12/03/2015

Trade name:	DNA	Elution	Buffer
-------------	-----	---------	--------

		(Contd. of page 4)
· Solvent content:	0.0 %	
Organic solvents: VOC content:	0.0 % 0.0 g/l / 0.00 lb/gl	
Solids content: • Other information	2.0 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

Page 5/8



Printing date 06/06/2017

Reviewed on 12/03/2015

(Contd. of page 5)

Trade name: DNA Elution Buffer

· Behavior in environmental systems:

- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · *Recommendation:* Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation:
- Dispose of container in acoordance with local/regional/national and international recommendations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADN, IMDG, IATA	not regulated
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	not regulated
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	not regulated

(Contd. on page 7)

Page 6/8



Printing date 06/06/2017

Trade name: DNA Elution Buffer

Reviewed on 12/03/2015

(Contd. of page 6)

Page 7/8

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS: 1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA



Printing date 06/06/2017

Reviewed on 12/03/2015

Trade name: DNA Elution Buffer

(Contd. of page	7)
Phone: 1-949-679-1190 or 1-888-882-9682	
· <i>Contact:</i> sds@zymoresearch.com	
· Date of preparation / last revision 06/06/2017 / -	
• Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage	e
of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
	US